Toxicology Letters, 66 (1993) 323–325
1993 Elsevier Science Publishers B.V.

AUTHOR INDEX VOL. 66 (1993)

Al-Jafari, A.A., The toxicological effect of cyclophosphamide on acetylcholinesterase activity, 125
Altmann, L., Weinsberg, F., Sveinsson, K., Lilienthal, H., Wiegand, H. and Winneke, G., Impairment of long-term potentiation and learning following chronic lead exposure, 105
Awasthi, S. and Boor, P.J., Semicarbazide protection from in vivo oxidant injury of vascular tissue by allylamine, 157

Baur, X., see Czuppon, A.B., 29
Bell, R.R., see Nonavinakere, V.K., 273
Boor, P.J., see Awasthi, S., 157
Boudene, C., see Telolahy, P., 89
Bowes III, R.C. and Ramos, K.S., Allylamine enhances c-Ha-*ras* protooncogene expression in rat aortic smooth muscle cells, 263
Brouland, J.-P., see Patriarca, C., 21

Calva, A.P. and Madrigal-Bujaidar, E., SCE frequencies induced by ethanol, tequila and brandy in mouse bone marrow cells in vivo, 1
Cluet, J., see Telolahy, P., 89
Crawford, L. and Kocan, R.M., Steroidal alkaloid toxicity to fish embryos, 175
Curry, P.T., see Subramanya, K.S., 221
Czuppon, A.B., Marczynski, B., Scheer, E., Hartmann, R. and Baur, X., Increased incidence of anti-dsDNA autoantibody concentration in sera of workers occupationally exposed to diisocyanates, 29

Danielsson, B.R.G., see Fredriksson, A., 13
Davis, S.F., Nation, J.R. and Mayleben, M.A., The effects of chronic lead exposure on reactivity to frustrative nonreward in rats, 237
de Ceaurriz, J., see Telolahy, P., 89
Descotes, J., see Patriarca, C., 21
Drerup, J., see Steven Godin, C., 63
Drerup, J.M., see Godin, C.S., 147

Early II, J.L., see Nonavinakere V.K., 273
Endo, G., see Murai, T., 53
Eriksson, P., see Fredriksson, A., 13

Favarato, M. and Zatta, P.F., Differential aluminum lactate toxicity in rabbits using either aqueous solutions or liposomal suspensions, 133
Flemming, C., see Steven Godin, C., 63
Fredriksson, A., Danielsson, B.R.G. and Eriksson, P., Altered behaviour in adult mice orally exposed to tri- and tetrachloroethylene as neonates, 13
Fukushima, S., see Murai, T., 53
Funakoshi, T., see Shimada, H., 193

Godin, C.S., Kimmel, E.C., Drerup, J.M., Leahy, H.F. and Pollard, D.L., Effect of exposure route on measurement of blood pressure by tail cuff in F-344 rats exposed to OTTO Fuel II, 147

Harauchi, T. and Hirata, M., Effects of *p*-phenylenediamines and adriamycin on primary culture of rat skeletal muscle cells, 35
Hartmann, R., see Czuppon, A.B., 29
Hirata, M., see Harauchi, T., 35
Hirohata, T., see Kiyohara, C., 199
Horiguchi, S., see Murai, T., 53
Horikoshi, J., see Kaneko, M., 211
Houser, M.T., see Milner, L.S., 117
Hubbard, A.K., see Lombard-Gillooly, K., 305

Iaizzo, P.A., Seewald, M.J., Powis, G. and Van Dyke, R.A., The effects of sevoflurane on intracellular Ca^{2+} regulation in rat hepatocytes, 81
Inoue, F., see Kaneko, M., 211
Iwata, H., see Murai, T., 53

Javelaud, B., see Telolahy, P., 89
Jin, Z., see Kurihara, N., 231

Kaji, T., Mishima, A., Yamamoto, C., Sakamoto, M. and Kozuka, H., Zinc protection against cadmium-induced destruction of the monolayer of cultured vascular endothelial cells, 247

Kamiyama, T., Sato, C., Liu, J., Tajiri, K., Miyakawa, H. and Marumo, F., Role of lipid peroxidation in acetaminophen-induced hepatotoxicity: comparison with carbon tetrachloride, 7
Kaneko, M., Kodama, M., Inoue, F. and Horikoshi, J., Lithocholic acid-sensitive mutant cells isolated from Chinese hamster ovary cells are cross-sensitive to cytoskeleton-disturbing agents, 211
Khaliq, M.A. and Srivastava, S.P., Induction of hepatic polyamines by di(2-ethylhexyl) phthalate in rats, 317
Kimmel, E.C., see Godin, C.S., 147
Kitchin, R.M., see Subramanya, K.S., 221
Kiyohara, C. and Hirohata, T., In vivo effect of 7,8-benzoflavone on aryl hydrocarbon hydroxylase activity of mouse liver microsomes, 199
Kocan, R.M., see Crawford, L., 175
Kodama, M., see Kaneko, M., 211
Koikawa, Y., Uozumi, J., Ueda, T., Yasumasu, T. and Kumazawa, J., Prophylactic effect of methylprednisolone against cisplatin-induced nephrotoxicity in rats, 281
Koizumi, S., Otaki, N., Saegusa, J. and Otsuka, F., Analysis of mammalian metallothionein isoforms by high-resolution SDS-gel electrophoresis, 165
Kojima, S., see Shimada, H., 193
Komura, J. and Sakamoto, M., Subcellular and gel chromatographic distribution of manganese in the mouse brain: Relation to the chemical form of chronically-ingested manganese, 287
Kozuka, H., see Kaji, T., 247
Kumazawa, J., see Koikawa, Y., 281
Kurihara, N., Yanagisawa, H., Jin, Z. and Wada, O., Production of polyclonal antibodies against 1,1′-ethyliden bis[L-tryptophan] (EBT), a potential contaminant causing eosinophilia-myalgia syndrome (EMS), 231

Leahy, H.F., see Godin, C.S., 147
Lilienthal, H., see Altmann, L., 105
Liu, J., see Kamiyama, T., 7
Lombard-Gillooly, K. and Hubbard, A.K., Modulation of silica-induced lung injury by reducing lung non-protein sulfhydryls with buthionine sulfoximine, 305

Madrigal-Bujaidar, E., see Calva, A.P., 1
Marczynski, B., see Czuppon, A.B., 29
Marumo, F., see Kamiyama, T., 7
Mashiba, H. and Matsunaga, K., Augmented inhibition of MethA tumor cell proliferation in combined use of diethyldithiocarbamate with catalase or by a nondialysable fraction from coincubation, 97
Matsunaga, K., see Mashiba, H., 97
Mayleben, M.A., see Davis, S.F., 237
Milner, L.S., Wei, S.H. and Houser, M.T., Enhancement of renal and hepatic glutathione metabolism by dimethylthiourea, 117
Mishima, A., see Kaji, T., 247
Miyakawa, H., see Kamiyama, T., 7
Motimaya, A.M., see Subramanya, K.S., 221
Murai, T., Iwata, H., Otoshi, T., Endo, G., Horiguchi, S. and Fukushima, S., Renal lesions induced in F344/DuCrj rats by 4-weeks oral administration of dimethylarsinic acid, 53

Nagaya, T. and Okuno, M., No effects of smoking or drinking habits on salivary amylase, 257
Nation, J.R., see Davis, S.F., 237
Nonavinakere, V.K., Potmis, R.A., Rasekh, H.R., Bell, R.R. and Early II, J.L., Selenium lethality: Role of glutathione and metallothionein, 273

Oishi, S., see Tanaka, T., 295
Oishi, S., Strain differences in susceptibility to di-2-ethylhexyl phthalate-induced testicular atrophy in mice, 47
Okuno, M., see Nagaya, T., 257
Otaki, N., see Koizumi, S., 165
Otoshi, T., see Murai, T., 53
Otsuka, F., see Koizumi, S., 165

Patriarca, C., Verdier, F., Brouland, J.-P. and Descotes, J., Popliteal lymph node response to procainamide and isoniazid. Role of β-naphthoflavone, phenobarbitone and S9-mix pretreatment, 21
Pollard, D.L., see Godin, C.S., 147
Potmis, R.A., see Nonavinakere, V.K., 273
Powis, G., see Iaizzo, P.A., 81

Ramos, K.S., see Bowes III, R.C., 263
Rasekh, H.R., see Nonavinakere, V.K., 273

Saegusa, J., see Koizumi, S., 165
Sakamoto, M., see Komura, J., 287
Sakamoto, M., see Kaji, T., 247

Sato, C., see Kamiyama, T., 7
Scheer, E., see Czuppon, A.B., 29
Seewald, M.J., see Iaizzo, P.A., 81
Shimada, H., Sugimachi, N., Funakoshi, T. and Kojima, S., Prevention of renal toxicity of *cis*-diamminedichloroplatinum by dithiocarbamates in rats, 193
Shiraishi, H., see Yonemoto, J., 183
Soma, Y., see Yonemoto, J., 183
Srivastava, S.P., see Khaliq, M.A., 317
Steven Godin, C., Flemming, C., Drerup, J. and Wall, H., Evaluation of the promotion potential of chlorotrifluoroethylene trimer acid in male Sprague-Dawley rats, 63
Subramanya, K.S., Motimaya, A.M., Curry, P.T. and Kitchin, R.M., Assessment of genotoxicity of two anti-Parkinsonian drugs (selegiline hydrochloride and bromocryptine mesylate) in vivo in mouse bone marrow cells, 221
Sugimachi, N., see Shimada, H., 193
Sveinsson, K., see Altmann, L., 105

Tajiri, K., see Kamiyama, T., 7
Takahashi, O., see Tanaka, T., 295
Tanaka, T., Oishi, S. and Takahashi, O., Three generation toxicity study of butylated hydroxytoluene administered to mice, 295
Telolahy, P., Javelaud, B., Cluet, J., de Ceaurriz, J. and Boudene, C., Urinary excretion of porphyrins by smelter workers chronically exposed to arsenic dust, 89

Ueda, T., see Koikawa, Y., 281
Uozumi, J., see Koikawa, Y., 281

Van Dyke, R.A., see Iaizzo, P.A., 81
Verdier, F., see Patriarca, C., 21

Wada, O., see Kurihara, N., 231
Wall, H., see Steven Godin, C., 63
Wei, S.H., see Milner, L.S., 117
Weinsberg, F., see Altmann, L., 105
Wiegand, H., see Altmann, L., 105
Winneke, G., see Altmann, L., 105

Yamamoto, C., see Kaji, T., 247
Yamamoto, H.-a., Protective effect of calmodulin inhibitors against acute cyanide-induced lethality and convulsions in mice, 73
Yanagisawa, H., see Kurihara, N., 231
Yasumasu, T., see Koikawa, Y., 281
Yonemoto, J., Shiraishi, H. and Soma, Y., In vitro assessment of teratogenic potential of organotin compounds using rat embryo limb bud cell cultures, 183

Zatta, P.F., see Favarato, M., 133

Toxicology Letters, 66 (1993) 327–328
1993 Elsevier Science Publishers B.V.

SUBJECT INDEX VOL. 66 (1993)

Acetaminophen, 7
Active avoidance learning, 105
Acute toxicity, 73
Adriamycin, 35
Adult, 13
Aequorin Ca^{2+} transient, 81
Allylamine, 157, 263
Aluminum, 133
Aluminum lactate, 133
Animal model, 133
Antibody, 231
Anticancer drug, 125
Aorta, 157
Aortic smooth muscle cells, 263
Arsenic, 89
Aryl hydrocarbon hydroxylase activity, 199
Autoimmunity, 21

Behaviour, 13
Behavioural toxicity, 295
7,8-Benzoflavone, 199
Bile acids, 211
Biological monitoring, 89
Blood pressure, 147
Body composition, 257
Brain subcellular distribution, 287
Brandy, 1
Bromocryptine, 221
Buthionine sulfoximine, 305
Butylated hydroxytoluene, 295

$^{45}Ca^{2+}$ release, 81
Cadmium, 247
Carbon tetrachloride, 7
Carboxymethylation, 165
Cardiovascular toxicity, 157
Catalase, 97
Cell culture, 35
c-Ha-*ras* protooncogene, 263
Chelate effect, 193
Chinese hamster ovary mutant cells, 211
Chlorpromazine, 73
Cisplatin, 281
Clastogenicity, 221
Convulsions, 73
CTFE trimer acid, 63
Cyanide, 73
Cytotoxicity, 221, 247

Developmental toxicity, 295
cis-Diamminedichloroplatinum, 193
Di-2-ethylhexyl-phthalate, 47, 317
Diethyldithiocarbamate, 97
Diethylmaleate, 273
Digestive function, 257
Diisocyanate exposure, 29
Dimethylarsinic acid, 53
Dimethylthiourea, 117
Di-*n*-butyltin, 183
Dithiocarbamate, 193
Drinking habits, 257

Endothelial cell, 247
Endothelium, 247
Eosinophilia-myalgia syndrome, 231
Ethanol, 7, 1
1,1′-Ethyliden bis[L-tryptophan], 231

Fish embryos, 175
Free radical scavenger, 117

Glutathione, 273
Glutathione metabolism, 117

Halogenated fatty acids, 63
Hippocampal LTP, 105
Human anti-dsDNA autoantibodies, 29

Immunotoxicology, 21
Infarct, 133
Inhibition, 125
Intracellular store, 81
Isolated hepatocyte, 81
Isoniazid, 21

Kinetic study, 125

Lead exposure, 237
Lead neurotoxicity, 105
Lead toxicity, 237
Limb bud cell culture, 183
Lipid peroxidation, 157, 7
Liposome, 133
Liver, 317

Manganese, 287
Metallothionein, 165, 273
MethA tumor cell, 97
Methylprednisolone, 281
Mice, 295, 47
Microfilament, 211
Microsome, 199
Microtubule, 211
Mitogenesis, 263
Mouse bone marrow, 1
Mouse strain, 199

Neonatal, 13
Nephrotoxicity, 281
Nitrate ester, 147
Normochromatic erythrocyte, 221

Occupational exposure, 89
Organotin compounds, 183
OTTO Fuel II, 147

Papillary necrosis, 53
Peroxisomal proliferation, 317
Pharmacokinetics, 47
p-Phenylenediamine, 35
Polyamine, 317
Polychromatic erythrocyte, 221
Popliteal lymph node assay, 21
Porphyrin, 89
Procainamide, 21
Promotion, 63
Prophylactic effect, 281
Propylene glycol dinitrate, 147
Protein, 287
Pulmonary injury, 305

Rainbow trout, 175
Rat, 317, 35, 53, 81, 237
Renal toxicity, 193
Reproductive toxicity, 295

Salivary amylase, 257
SDS-gel electrophoresis, 165
Selegiline, 221
Selenium lethality, 273
Semicarbazide, 157
Semicarbazide-sensitive amine oxidase (SSAO), 157
Silica-induced, 305
Sister chromatid exchanges, 1
Skeletal muscle, 35
Smoking habits, 257
Solvents, 13
Spinal cord, 133
Steroidal alkaloid toxicity, 175
Strain difference, 47
Stress level, 237

Tequila, 1
Teratogenicity screen, 183
Testicular atrophy, 47
Tetrachloroethylene, 13
Tissue distribution, 193
Trichloroethylene, 13
Trifluoperazine, 73
Tri-*n*-butyltin, 183
L-Tryptophan, 231

Volatile anesthetic, 81

Walker 256 carcinoma, 193

Zinc, 247